

Bulletin of the
Agricultural Chemical Society
of Japan.

Vol. 13.

(Nos. 148-159)

1937

The Agricultural Chemical Society of Japan.

c/o Faculty of Agriculture, Tokyo Imperial University.

Contents

Transactions of the Japanese Society for the Promotion of Applied Research. II

I. Transactions.

	PAGE
Hidejiro NISHIKAWA: Biochemistry of Filamentous Fungi. V.—Mycelial Constituents of <i>Oospora sulphurea-ohracea</i> Part. II.	1
Sator OHDAKE and Teikichi YAMAGISHI: Oryzanin "Antineuritic Vitamin B". VI.—On the Chemical Constitution of "Oryzanin".	47
Kazuo YAMAFUJI und Shio Goto: Widerstandsfähigkeit des Seidenraupenecies gegen Hitze.	79
Tetuo TOMIYAMA and Minoru HANADA: The Nutritive Value of Fish Meals and Fish Cakes.	110

II. Abstracts from Transactions published in Japanese.

	Page
On the synthesis of amine from the alcohol. (Y. SHINOZAKI and H. KUBO).	8
Über das Eiweisz der gereinigten Panicum Crus-galli, L. var frumentaeum, Hook f. (T. OHARA).	8
Studies on high pressure hydrogenation of the castor oil, I. On the reduction of the hydroxy group, II. On the formation of octadecandiol (1, 12) and the capillary chemical properties of the sodium salt of octadecandiol-disulphonic acid-ester. (Y. SHINOZAKI and S. KAGAWA).	9
Enzyme chemical investigation of Formosan snake venoms, V. Studies on the activa- tion of peptidase by the snake venoms. Part VIII. On the active constituent in the venoms of Taiwanhabu [<i>Trimeresurus</i> <i>mucrosquamatus</i> (Cantor)] and Taiwanko- bura [<i>Naja naja atra</i> (Cantor)], for the activation of dipeptidase. (Y. TSUCHIYA).	10
On the koji-amylase. Part V.—The differ- ence between the amount of extraction of koji-amylase, maltase, saccharase and protease with salt solution. (Y. TOKU- OKA).	10
The manurial effect of guano on rice-plants. (C. ICHIKAWA).	10
The influence of monochromatic lights on the action of soyaurease. (R. MURAKA- MI).	11
Über die technische Citronensäuregärung I. Mitteilung. (R. NAKAZAWA und M. NA- KANO).	12
Über die verschiedene Eigenschaften von Aspergillusarten (III). (Y. TAKEDA und O. TAKEUTI).	12
Biochemical studies on glutathione. Report I.—Some correlations between glutathione contents of arterial blood and of venous blood of normal rabbits. (M. OGAWA).	12
Biochemical studies on glutathione. Report II.—Effect of ultraviolet ray radiation on blood glutathione. (M. OGAWA).	14
Biochemical studies on "Sotetsu" (<i>Cycas re-</i> <i>voluta</i> Thunb.). Part VII.—On the che- mical constituents of the outer spermoderm of "Sotetsu"-seed. (K. NISHIDA).	15
Studies on cytochrome C. Part I.—Is por- phyrin C an amino acid porphyrin? (H. KATAGIRI, K. MASUDA and T. HIME- MOTO).	15
Utilization of the irradiated mycelium of <i>Aspergillus oryzae</i> for poultry feeding (III). —Influence for moulting. (K. YOKOYA- MA and R. TAKATA).	15
Studies on the chemical constituents of "Ine- koji". Part IV.—The organic acids. (T. YABUTA and Y. SUMIKI).	15
Studies on the chemical constituents of "Ine- koji". Part V.—The red pigment, usilaginoidin (II). (T. YABUTA and Y. SU- MIKI).	15
Studies on the chemical constituents of "Ine- koji". Part VI.—The red pigment, usilaginoidin (III). (T. YABUTA, Y. SUMI- KI and H. IGARASHI).	16
The toxic effect of high doses of liver oils and the activity of yeast in prevention of the toxicity. (M. YOSHIDA).	16
Über die Verschiedene Eigenschaften von Aspergillusarten (IV). (Y. TAKEDA und O. TAKEUTI).	16
On the sugars of the flue-cured tobacco. (T. NITO and T. IWASAKI).	17
On the estimation of certain elements with the spectrograph by arc process. (Part 2). (K. KONISHI and T. TSUGE).	17
Über die Oberflächenaktivität und die Adsor- bierbarkeit von Aminosäuren, VIII. Mittei- lung. (T. ITO).	17
Chemical studies on Japanese coccidae, XIII. —On the resinous substance of <i>Ceroplastes</i> <i>rubens</i> Mask. II. A new resinic acid, rubenic acid. (M. KAWANO and R. MA- RUYAMA).	20
Chemical researches on the cellulose resour- ces. Part V.—The α -cellulose contents of various pulp plants. (K. SHIMBO).	20
Chemical studies on Japanese coccidae, XIV. —On the resinous substance of <i>Ceroplastes</i> <i>rubens</i> III. A new resinol.—rubenol. (M. KAWANO and R. MARUYAMA).	22
Studies on the phosphatides of eggs. (Y. MASUDA and T. HORI).	22
Studies on cytochrome C. Part II.—Prelimi- nary experiments on the synthesis of cyto- chrome C from protoporphyrin. (H. KA-	22

TAGIRI, K., MASUDA and T. HIMEMOTO).	22	of mote, yeast mashes. (Y. TOKUOKA).	34
Chemical studies on silk fibroin (IV).— Chemical relation between fibroin components. (H. KANEKO).	22	The micro-determination of potassium and sodium in milk. (M. SATO and K. MURATA).	34
Chemical studies on silk fibroin (V).—The relative viscosity of fibroin component solutions. (H. KANEKO, C. KOMATSU and Y. NAKAZAWA).	23	Studies on bread-making partially substituting rice flour for wheat flour. (T. TAKAHASHI, S. HATA and R. TAKAHASHI).	35
The utilization of the by-products of soybeans. (Y. IWASA).	24	On the alcohol manufacture from jerusalem artichoke (Part II).—On the saccharification of jerusalem artichoke. The acid hydrolysis (II). (T. ASAI).	35
Agar solidity tester. (A. ITANO and Y. TSUJI).	26	Relation between hardness and components of tomatoes. (S. MACHIDA and K. YAMADA).	36
On the production of aethylenoxide- α , β -dicarboxylic acid by mould. Part I. (K. SAKAGUCHI, T. INOUË and S. TADA).	27	On the chemical nature of soils in North Manchuria. (M. IKEDA).	36
Studies on alcohol manufacture from jerusalem artichoke. Part I.—On the saccharification of jerusalem artichoke. The acid hydrolysis (I). (T. ASAI).	28	Carbohydrates in the bulbs of allium. VIII.—Distribution of scorodose. (Y. KIHARA).	37
Über die hypoglycämische Wirkung des Autolyse-Saftes der Hefe und Pilz, insbesondere über Kurven der Blutzuckererniedrigung. (Y. SHIZUME).	29	Sterilizing action of acids. VIIIth report. Relation between the stereo-chemical constitution of fatty acids and the physiology of bacteria. No. I. Cis trans acids isomers and physiology of bacteria shinopsis. (S. TETSUMOTO).	37
Chemical studies on Japanese coccidae. XV. On the nitrogeneous and inorganic substances of sasakiaspis pentagona tar. (M. KAWANO and R. MARUYAMA).	29	Untersuchung über die Verwitterung der Eruptivgesteine IV.—Weitere Untersuchungen über die photochemische Methode zur Bestimmung der freien Eisenoxyde. (M. HARADA).	39
On the koji-amylase. Part VI.—Formation of amylase, maltase and protease during cultivation of sake-koji. (Y. TOKUOKA).	29	Estimation of phenylethylalcohol and its production from <i>l</i> -phenylalanin by microorganisms. (T. TAKAHASHI, T. UYEMURA, S. YAMAZAKI and Y. OMACHI).	44
On the koji-amylase, Part VII.—The effects of temperature for cultivation and of degree of polishing of rice on the formation of amylase, maltase and protease in sake-koji. (Y. TOKUOKA).	30	Extermination of cocoon thread obtained from silkworms reared under dry and wet states. (T. NAKAHAMA and S. NISHIMURA).	45
Beiträge zur Kenntnis der aus Antyū (ein geistigen Getränke in Formosa) isolierten drei Milchsäurebildnern. (K. SATO und Y. SIZUME).	30	Oryzanin "Antineuritic vitamin". VI.—On the chemical structure of oryzanin. (S. OHDAKE and T. YAMAGISHI).	46
Studies on the production of mucilage by bacteria. (I).—The classification of natto-bacillus. (Y. GO and S. NAKAMURA).	31	The influence of monochromatic lights on the action of yeast catalase. (Part I). (R. MURAKAMI).	50
Distribution of ascorbic acid in each organic of hen. (S. MACHIDA and T. SASAKI).	31	The influence of monochromatic lights on the action of yeast catalase. (Part II). (R. MURAKAMI).	51
On the urease of yeast. (A preliminary report). (K. SAKAGUCHI and Y. SHIZUME).	31	The influence of monochromatic lights on the action of yeast soya-urease. (Part II). (R. MURAKAMI).	51
On the koji-amylase. Part VIII.—The fluctuation of amylase during the cultivation		On the relation between the quality of tobacco and the content of pectic acid and	

Contents

methylalcohol in it. (S. KANAHARA),	52	ponent solution (2). (H. KANEKO and V. NAKAZAWA).....	63
On unsaponifiable substances especially sterol in the oil of "Tamari". (K. MIYAJI and M. OGURI),	52	Studies on canavanin, (VIII). (M. KITAGAWA and J. TSUKAMOTO),	64
Sterilizing action of acids, 9th report,—Relation between the stereo-chemical constitution of fatty acidsisomers and the physiology of bacteria. No. II, optical active acids isomers and physiology of bacteria. No. II, optical active acids isomers and physiology of bacteria. (S. TETSUMOTO),	52	On the production of vitamin C-like reducing substance by mouldfungi. (J. FUKUMOTO and H. SHIMOMURA),	65
Nutritional chemistry of the flours, (Part I).—Vitamins and proteins in wistaria-flours, (Kraunhia floribunda taub. var. typica mak.). (K. KONDO and S. SHINANO),	53	Studies on crystalline urease, (I). (M. KITAGAWA and M. FUJII),	65
The colorimetric method for the determination of carbohydrate in protein-molecule. (The modified Sørensen's method). (K. KONDO and M. MURAYAMA),	53	Studies on "Funasushi". Pickles of crucian in boiled rice. (K. MATSUSHITA),	66
Zuckerrohwachs, I. Mitteil. Über die Phyto-sterine von Zuckerrohwachs, (T. MITUI),	53	Studies on "Funasushi", pickles of crucian in boiled rice. (K. MATSUSHITA),	67
Physiologically active crystalline esters of vitamin A, (Part II). (S. HAMANO),	56	Influence of deficiency of three essential elements (N, P, K) on the yield, ash-constituents (Si, Ca, P) and nitrogen content of unhusked rice.—About the relations of the typhoon of september 21, 1934. (C. ICHIKAWA),	67
Über die Verschiedene Eigenschaften von Aspergillusarten. (V). (Y. TAKEDA und O. TAKEUTI),	56	On the retting of some Vegetable-fibre-materials, (Part I).—The selection of effective micro-organism for the bacterial retting of the Ramie-fibre-materials. (T. NAKAHAMA and S. NISHIMURA),	67
The change of oxidation-reduction potentials of water-logged soils, III.—Humus-alkali- and fish farm soils. (K. SHIBUYA, H. SAEKI and K. RYU),	57	On the retting of some Vegetable-fibre-materials, (Part II).—The action of Ram. F. on the retting of the Ramie-fibre-materials. (T. NAKAHAMA and S. NISHIMURA),	68
On the refractive index of the hen's egg-albumin, (Part 1). (K. KONDO and H. IWAMAE),	59	On the retting of some Vegetable-fibre-materials, (Part III).—On the result of the retting of the Ramie-fibre-materials with Ram. F. (T. NAKAHAMA and S. NISHIMURA),	68
On the refractive index of the hen's egg-albumin, (Part 2). (K. KONDO and H. IWAMAE),	59	Polysacchride X.—Über die Konstitution des neuen Disaccharids "Xyloglukuronsäure" aus Kadura japonica, Don. (K. NISHIDA und H. HASHIMA),	68
On the isoionic reaction of the hen's egg-albumin, (K. KONDO and H. IWAMAE),	60	Utilization of the irradiated Mycelium of aspergillus oryzae for poultry feeding. (IV) —Addition of rice polishings. (R. TAKATA and K. YOKOYAMA),	71
Studies on a mannitol-bacteria. (B. NOMURA),	61	On a new oxydising enzyme "Sucro-oxydase". (Part I). (T. MINAGAWA and J. ICHIHARA),	71
Chemical studies on green tea, I.—Comparison between chemical constituents of mecha and bancha. (S. MACHIDA),	61	On a new oxydising enzyme "Sucro-oxydase". (Part II), (T. MINAGAWA),	71
Chemical studies on Japanese coccidae, XVI.—On the carbohydrates and waxes of sasakiaspis petagonia tar. (M. KAWANO and R. MARUYAMA),	61	Researches of the electrolytic reduction potentials of organic compounds, (Part 24) —Consideration of the electrolytic reduction potential. (I. TACHI),	71
On the koji-amylase, (Part IX).—The experimental proof of the presence of β -amylase in koji. (Y. TOKUOKA),	61	Researches on the electrolytic reduction potentials of organic compounds, (Part 25),	71
Chemical studies on silk fibroin, (VI).—The relative viscosity of fibroin and its com-			

—Standard electrolytic reduction potential and redox-potential. (I. TACHI),	72	ry leaves by silkworms. (Part III.)—The influences on growth and products of silkworms fed on mulberry leaves to which cane sugar is added in different proportions. (K. KATO, S. MIWA and S. NEGI),	88
On the unsaponifiable matter of the alge fats, III.—On the toxic components. (K. SHIRAHAMA),	72	Studies on the utilisation and the digestion of the carbohydrates contained in mulberry leaves by silkworms. (Part IV.)—The influences on the digestion of the chemical component of mulberry leaves by silkworms and the composition of silkworm body fed on mulberry leaves to which cane sugar is added in different proportion. (K. KATO, S. MIWA and S. NEGI),	89
Biochemical studies of the locust. (III). (C. ICHIKAWA),	73	Comparison of the qualities of three groups of the cocoons that were spun by silkworms fed a varying number of times, i. e. (a) 20, (b) 25, (c) 30. (T. NAKAHAMA and S. NISHIMURA),	90
Studies on the wine yeasts indigenous to Japan. (K. SAKAGUCHI, S. MORI and T. SIZUME),	74	On the contents of 0.2N ₂ HCl soluble phosphoric acid of Tyōsen soils. (I) (H. MISU),	91
Study on the essential oil of black tea. (Part III.) (R. YAMAMOTO and K. ITO),	74	The investigation of glutamic acid preparation. (Part I—IV.) (B. ROKUSHŌ, R. TANAKA and H. SAITO),	91
Experiment on the colon group of fishes. (Y. YASUKAWA),	76	Experiment on the colon group of fishes. (II) (Y. YASUKAWA),	93
On the bitamin B ₂ contents of commercial dry yeasts. (Y. SAKURAI and R. SIRASU),	76	Über die Quantitative Bestimmung von 2-, 3-Butylenglykol. (Y. TOMIYASU),	94
Researches on the industrial utilizations of Karafuto Tundrapeat. (Part I.)—Manufacture of plastics from peat. (M. SHIKATA and S. FUJII),	81	Action of the xylan-decomposing bacteria. (Nutritive value of the pentosan VIII.) (H. IWATA),	95
On the contents of 0.2N ₂ HCl soluble phosphoric acid of Tyōsen soils. (II) (H. MISU),	81	Alcohol manufacture from potatoes. I. Storage of potatoes. Part 1.—Changes during storage. (K. SATO, I. MARUTA, A. MATUMI and M. MURAI),	95
Chemical studies of apples. I.—On the physical and chemical properties of different varieties. (M. FURUICHI),	81	Alcohol manufacture from potatoes. I. Storage of potatoes. Part 2.—Effects of some treatments on sprouting. (K. SATO, I. MARUTA, A. MATUMI and M. MURAI),	96
Über die Quantitative Bestimmung von Acetooin. (Y. TOMIYASU),	82	On the fermentative degumming of waste silk. (H. KATAGIRI and T. NAKAHAMA),	97
α -casein and β -casein. (K. KONDO and T. YAMADA),	83	Studies on micro-chemical methods for the water analysis. (I)—The micro-volumetric determination of oxygen, alkalinity and chloride in water. (T. TOMIYAMA),	98
Die Untersuchungen über die den Schwarze Tee verderbene Schimmelpilze (I). (R. NAKAZAWA, Y. TAKEDA und T. OKADA),	84	Studies on micro-chemical methods for the water analysis. (II)—A new micro-method for the estimation of oxygen consumed from permanganate. (T. TOMIYAMA and	
Über die Fabrikation des Alkohols aus rohen Bataten. (Säurehydrolyse- und Amylo-verfahren). (R. NAKAZAWA, M. NAKANO und K. KOBAYASI),	84		
Experiment on the colon group of fishes. (I) (continued) (Y. YASUKAWA),	86		
Untersuchungen von Essigsäurebakterien aus Formosa (XI).—Systematische Untersuchungen über Essigsäurebakterien aus Formosa (2). (S. TANAKA),	81		
Studies on enzyme action in digestive canal I.—Saliva of human and horse. (T. MATSUOKA),	87		
Studies on enzyme action in digestive canal II.—Saliva of animals. (T. MATSUOKA),	87		
On thermostable amylase. (T. MINAGAWA),	88		
Studies on the utilisation and the digestion of the carbohydrates contained in mulber-			

Contents

H. SUETOMI).	99	(K. NAKAJIMA and M. IKEDA).	116
Über die Acetymethylcarbinol-und 2, 3- Butylenglykol-Bildung durch Mikroben. (III)—Über die Isolierung des Acetyl- methylcarbinols. (Acetoin) (Y. TOMIYA- SU).	100	Chemical studies on silk fibroin. (VII, VIII). (H. KANEKO).	117
Experiment on the colon group of fishes. (III) (continued) (Y. YASUKAWA).	101	On the reaction and exchange capacity of the soil of Hiradai, a plateau of paleozoic limestone, in North-Kyushu. (R. KA- WASHIMA).	118
Studies on brewing-concerns in kwantung. (II) (WAI YING YEE).	101	On the thermophilic microorganisms iso- lated from kibbled soy bean cake which was spontaneously heated. (B. ROKU- SHO and H. FUKUDOME).	119
Studies on brewing-concerns in kwantung. (III) (WAI YING YEE).	101	On the fixation of sericin of raw silk (Part I).—Fixation of sericin by chromium salts. (M. OKU and Z. HIROSE).	121
Alcohol manufacture from potatoes. (II) Stor- age of potatoes. Part 3.—Drying method of potatoes. (K. SATO, I. MARUTA, K. HAYASI and A. MATUMI).	102	Enzymatic studies of cereals. Part VII.—On the dextrifyng amylase of rice-seeds. (G. YAMAGISHI).	122
Alcohol manufacture from potatoes. (III)— On the preparing of alcohol-mash by the method of acid-hydrolysis of potato. Part 1. (H. OKADA, K. SUGIYAMA and K. MORI).	103	Enzymatic studies on cereals. Part VIII.— On the amylases in germinated rice. (G. YAMAGISHI).	122
On some chemical properties of limestone red soil in regions of different climate. (R. KAWASHIMA).	104	Enzymatic studies on cereals. Part IX.—On the development of amylases during the germination of rice. (G. YAMAGISHI).	123
Studies on the fractionation and absorption spectra of the lobster-proteins. (I) (K. KONDO, T. YAMADA and S. SHINANO).	106	Experiment on the colon group fishes. (IV, V) (Continued). (Y. YASUKAWA).	124
Studies on the fractionation and the absorp- tion spectra of the lobster-proteins. (II) (K. KONDO and T. YAMADA).	107	On the study of soils containing alkali salts in Hulumpeirh, northwestern Manchou- kuo. (M. IKEDA).	125
Aminosäure-Abbau durch Aspergillus Oryzae. (I)—Bildung von Phenylbrenztrauben- säure aus <i>l</i> -Phenylalanin (I). (T. UYEMU- RA).	107	On the contents of 0.2NHCl soluble phos- phoric acid of Työsen soils. (III) (H. MISU).	125
Aminosäure-Abbau durch Aspergillus Oryzae. (II)—Bildung von Phenylbrenztrauben- säure aus <i>l</i> -Phenylalanin (II). (T. UYE- MURA).	108	Researches on the manufacture of alcohol from the Manchurian starchy materials. (Part I—III.)—Amylo- and acid-hydroly- sisprocess). (E. YOSHINO, W. YOKOYA- MA, T. MAKIHARA, and M. NAGASHIMA).	125
Sterilizing action of acids. 10th report. I. Sterilizing action of aldehydic and ketonic fatty acids. II. Sterilizing action of aco- nitic acid. (S. TETSUMOTO).	108		
On the alcohol manufacture from jerusalem artichoke (Part III)—On the saccharifica- tion of jerusalem artichoke. The inulase of the moulds. (T. ASAI).	110		
Mycological and chemical investigation on the manufacture of antyu. (I) (R. NA- KAZAWA and his co-workers).	110		
Studien über Sericin.—I. und II. Mitteilung. (T. ITO und K. KOMORI).	115		
Study on selenium catalyst in the determina- tion of Nitrogen by Kjeldahl's method.			